NORTHERN WORKWEAR LTD

2020 CATALOGUE

NORTHERN WORKWEAR
• LTD. •

Issued May 2020 vs. 12

TABLE OF CONTENTS

SECTION		PAGE
1	CSA COMPLIANT HIVIS + THERMAL	3
2	CSA COMPLIANT UNLINES & RAIN WEAR	6
3	CSA COMPLIANT FIRE RETARDANT	10
4	FIRE RETARDANT	18
5	THERMAL	19
6	RAIN WEAR	21
7	ACCESSORIES	24
8	SIZING GUIDE	25

PROTECTING PEOPLE
AT WORK

CSA COMPLIANT
HIVIS + THERMAL

WENAAS® HIVIS QUILTED JACKET

Model No. 3-56300-604

FEATURES:
Windproof, Waterproof & Breathable / Comfort Rated to -42°C (-43.6°F) / Front zip flap / Chest pockets with velcro on flaps / Front pockets with zipper / Storm pocket with zipper / Inside pockets / Inside mobile phone pocket / Detachable hood / Fleece in collar and cuffs / Fleece in inside front pocket / Adjustable cuffs / Elastic drawstring in hemline / Lengthen back / Quilted lining / Piping in separation seams / Taped seams

MATERIAL: 100% Polyester Oxford
OUTER FABRIC WEIGHT: 155 g/m^2 (5.47 oz.)
PADDING: 200g/m^2 (7.05 oz.)
LINING: 70 g/m^2 (2.47 oz.)
SIZES: XS - 4XL

COLOURS:

HiVis Red/Black - 8710
HiVis Yellow/Black - 3210

STANDARDS:
- CSA Z96-09 Class 2 Level 2
- Comfort Rated to -42°C (-43.6°F)
- High Visibility
- Thermal
- Waterproof

CSA COMPLIANT
HIVIS + THERMAL

WENAAS® HIVIS QUILTED BIB 'N' BRACE

Model No. 3-86301-604

FEATURES:
Windproof, Waterproof & Breathable / Comfort Rated to -42°C (-43.6°F) / Zip fly / Pocket on bib / Oblique pockets with through access / Large back pockets right with velcro / Double folding rule pocket / Knife holder / Large thigh pocket / Rounded knee / Knee pockets in Polyamide / Adjustable at sides / Zipper in leg / Velcro ankles / Quilted lining/ Taped seams

MATERIAL: 100% Polyester Oxford
OUTER FABRIC WEIGHT: 155 g/m^2 (5.47 oz.)
PADDING: 200g/m^2 (7.05 oz.)
LINING: 70 g/m^2 (2.47 oz.)
SIZES: XS - 4XL

COLOURS:
HiVis Red/Black - 8710
HiVis Yellow/Black - 3210

STANDARDS:
- CSA Z96-09 Class 3 Level 2 (When worn with 3-56300-604)
- Comfort Rated to -42°C (-43.6°F)
- High Visibility
- Thermal
- Waterproof

CSA COMPLIANT
HIVIS + THERMAL

WENAAS® HIVIS QUILTED COVERALL

Model No. 3-66301-604

FEATURES:

Windproof, Waterproof & Breathable / Comfort Rated to -42°C (-43.6°F) / Front zip flap / Chest pockets / Mobile phone pocket / Loop for hands free wiring / Storm pocket / Oblique pockets with zipper / Rear pockets, right has flap with velcro / Double folding rule pocket / Knife holder / Adjustable cuffs / Knee pockets in Polyamide / Zipper on collar for attaching hood / Fleece in collar and cuffs / Elastic and velcro ankles / Zipper in legs / Quilted lining / Taped seams

MATERIAL: 100% Polyester Oxford

OUTER FABRIC WEIGHT: 155 g/m^2 (5.47 oz.)

PADDING: 200g/m^2 (7.05 oz.)

LINING: 70 g/m^2 (2.47 oz.)

SIZES: XS - 4XL

COLOURS:

HiVis Red/Black - 8710

HiVis Yellow/Black - 3210

STANDARDS:

- CSA Z96-09 Class 3 Level 2
- Comfort Rated to -42°C (-43.6°F)
- High Visibility
- Thermal
- Waterproof

wenaas®

CSA COMPLIANT
UNLINED & RAIN WEAR

WENAAS®
LUXE COVERALL

Model No. 0-89075-125-45

FEATURES:
2 way front zipper / Elasticized waist / 2 chest pockets with flaps / 2 side pockets with access to under garments / 2 back pockets / Knee pockets / ID pocket on arm

MATERIAL: 65% Polyester, 35% Cotton
OUTER FABRIC WEIGHT: 245 g/m2 (8.64 oz.)
SIZES: S - 4XL

COLOUR:
Blue - 45

STANDARDS:
- CSA Z96-09 Class 3 Level 2

LYNGSØE HIVIS RAIN SET WITH JACKET AND TROUSERS

Model No. LR60552-CSA

FEATURES:

Comes in a compact bag / Fixed hood with drawstring / Sleeves with velcro adjustments / Two outside pockets on the jacket / Two side pockets on the trousers

MATERIAL: 190T Polyester/PVC
OUTER FABRIC WEIGHT: 200 g/m²
WATERPROOF: 8.000 mm
SIZES: HiVis Orange: S-4XL
Saturn Yellow: XS-5XL

COLOURS:

HiVis Orange - 05
Saturn Yellow - 53

STANDARDS:

- CSA Z96-09 Class 3 Level 1 Compliant
- High Visibility
- Waterproof

CSA COMPLIANT
UNLINED & RAIN WEAR

EXTRA STRONG FABRIC

Helmet compatible

Windproof

Waterproof

LYNGSØE HIVIS RAIN JACKET IN HEAVY PU/PVC QUALITY

Model No. LR9015-CSA

FEATURES:
Detachable hood with drawstring / Large hood which fits over helmets / Chest pocket for ID card / Hidden chest pocket / Two front pockets with press studs / Hidden zipper under storm flap with press studs / Ventilation in the back

MATERIAL: 50% Polyester, 25% Polyurethane, 25% PVC
OUTER FABRIC WEIGHT: 350 g/m^2
SIZES: S-4XL
COLOURS:
HiVis Orange/Navy - 0503
HiVis Saturn Yellow/Navy 5303
HiVis Red/Navy 9703

STANDARDS:
- CSA Z96-15 Class 2 Level 1 Compliant (When worn alone)
- High Visibility
- Waterproof >13.000 MM

LYNGSØE RAINWEAR

UNLINED & RAIN WEAR

LYNGSØE HIVIS RAIN TROUSERS IN HEAVY PU/PVC QUALITY

Model No. LR9012

EXTRA STRONG FABRIC

FEATURES:
Detachable, elasticated shoulder straps with buckles / Open toolbelt pockets / Belt loops / Kneepad pockets / Pocket on right thigh / Reinforced tool pocket on right thigh / Pocket with velcro on left thigh

MATERIAL: 50% Polyester, 25% Polyurethane, 25% PVC
OUTER FABRIC WEIGHT: 350 g/m^2
SIZES: S-4XL
COLOURS:
HiVis Orange/Navy - 0503
HiVis Saturn Yellow/Navy - 5303
HiVis Red/Navy - 9703

STANDARDS:
- CSA Z96-15 Class 3 Level 1 Compliant (When worn with matching jacket)
- High Visibility
- Waterproof > 13.000 MM

LYNGSØE RAINWEAR

CSA COMPLIANT
FIRE RETARDANT

WENAAS® OFFSHORE DALETEC LIGHT WEIGHT FR COVERALL

Model No. 0-87875-1022

FEATURES:
Concealed two-way brass front zipper / 50mm reflective fire retardant tape / CSA Z96-15 Class 3 Level 2 / Adjustable waist / 2 chest pockets with cell phone and flap pen pocket / Interior map with concealed brass zipper pocket / 2 front pockets with access to under garments / 2 back pockets, one with flap / Ruler pocket and knee pockets / Pocket on sleeve / ID Pocket / Concealed brass buttons on sleeve, neck and sternum

MATERIAL: Daletec 100% Cotton
OUTER FABRIC WEIGHT: 220 g/m^2 (7.76 oz.)
SIZES: S - 4XL
COLOUR: Navy/High Visibility Yellow - 532

STANDARDS:
- CSA Z96-15 Class 3 Level 2 Compliant
- Fire Retardant
- High Visibility
- Arc Rated
- HRC Level 1
- Cal Rating 7.6
- NFPA70E Compliant

CSA COMPLIANT
FIRE RETARDANT

WENAAS® OFFSHORE DALETEC FR COVERALL

Model No. 0-87865-1024

FEATURES:
Concealed two-way brass front zipper / 50mm reflective fire retardant tape / CSA Z96-15 Class 3 Level 2 / Adjustable waist / 2 chest pockets with cell phone and flap pen pocket / Interior map with concealed brass zipper pocket / 2 front pockets with access to under garments / 2 back pockets, one with flap / Ruler pocket and knee pockets / Pocket on sleeve / ID Pocket / Concealed brass buttons on sleeve, neck and sternum

MATERIAL: Daletec 75% Cotton 25% Polyester

OUTER FABRIC WEIGHT: 290 g/m^2 (10.23 oz.)

SIZES: S - 4XL

COLOUR: Red/High Visibility Yellow - 8032

STANDARDS:
- CSA Z96-15 Class 3 Level 2 Compliant
- Fire Retardant
- High Visibility
- Arc Rated
- HRC Level 2
- Cal Rating 12
- NFPA70E Compliant

wenaas®

CSA COMPLIANT
FIRE RETARDANT

NEW!

WENAAS® OFFSHORE FR CSA COVERALL

Model No. 0-83850-10234

FEATURES:
Concealed two-way non-conductive front zipper/ Concealed non-conductive buttons on sleeves and legs / CSA Z96-15 Compliant Class 3 Level 2 / 4" two-tone FR reflective tape / Radio loop on left front shoulder / Two chest pockets with velcro closures / Two back pockets with velcro closure / ID pocket on sleeve / Internal knee pockets (uses model # 0-26005-0-98 knee pads)

MATERIAL: 99% Fire Retardant Cotton 1% anti static
OUTER FABRIC WEIGHT: 260 g/m^2
SIZES: S - 4XL

COLOURS:

Orange - 25

STANDARDS:

- CSA Z96-15 Class 3 Level 2 Compliant
- Level 2 ASTM 1959 ANSI 107 Compliant
- CAN/CGSB 155.20 Compliant
- HRC Level 2

FABRIC IS CERTIFIED TO:

- EN ISO 11612 – Fire Retardant Standard
- EN ISO 11611 – Welding Standard
- EN 61482-1-2 – Electric ARC standard (9.8 cal/cm^2)
- EN 1149-5 – Anti-Static Standard
- EN 15797 – Industrial Laundry Procedure
- EN 13034 - Chemical Protection
- NFPA 2112 – FR Standard
- NFPA 70E – Electric ARC standard

CSA COMPLIANT
FIRE RETARDANT

LYNGSØE FLAME RETARDANT HIVIS RAIN JACKET IN HEAVY QUALITY PVC/PE-CO

Model No. ARC-LR4055-CSA

FEATURES:

Fixed hood with drawstring for colour 05 + 53 / Fixed hood with drawstring, hidden in collar for colour 05/03 + 53/03 + 97/07 / Hidden zipper under storm flap with press studs / Sleeves with press studs adjustments / Two patch pockets

ATPV 21,1 cal/cm²

EXTRA STRONG FABRIC

Helmet compatible

Adjustable cuffs

Windproof

Waterproof

MATERIAL: PVC / Polyester / Cotton

OUTER FABRIC WEIGHT: 390 g/m²

SIZES: HiVis Orange: S - 4XL
Hivis Orange / Navy: S-4XL
Saturn Yellow: S-5XL
Saturn Yellow / Navy: S-4XL

COLOUR: HiVis Orange - 05
HiVis Orange / Navy - 0503
Saturn Yellow - 53
Saturn Yellow / Navy - 5303

STANDARDS:

- CSA Z96-15 Class 2 Level 2 Compliant (When worn alone)
- Fire Retardant
- High Visibility
- Arc Rated

EN 343 3 1

EN ISO 20471 3

EN 1149-5

EN ISO 11612 A1 B1 C1

EN 13034 Type 6

IEC 61482-2 Class 1 21.1 Cal/cm²

LYNGSØE RAINWEAR

CSA COMPLIANT
FIRE RETARDANT

ATPV 21,1 cal/cm²

EXTRA STRONG FABRIC

Adjustable hem

Windproof

Waterproof

LYNGSØE FLAME RETARDANT HIVIS RAIN BIB & BRACE TROUSERS IN HEAVY QUALITY

Model No. ARC-LR4059

FEATURES:
Elasticated shoulder straps with buckles / Press stud adjustments by the ankles / Wind and waterproof Hi-Vis / Waterproof: >13.000 MM

MATERIAL: PVC / Polyester / Cotton
OUTER FABRIC WEIGHT: 390 g/m²
SIZES: S - 4XL
COLOUR: HiVis Orange - 05
HiVis Orange / Navy - 0503
Saturn Yellow - 53
Saturn Yellow / Navy - 5303

STANDARDS:
- CSA Z96-15 Class 3 Level 2 Compliant (When worn with matching jacket)
- Fire Retardant
- High Visibility
- Arc Rated

EN 343 · EN ISO 20471 · EN 1149-5 · EN ISO 11612 · EN 13034 · IEC 61482-2

LYNGSØE RAINWEAR

CSA COMPLIANT
FIRE RETARDANT

LYNGSØE FLAME RETARDANT HIVIS RAIN JACKET IN HEAVY TEAR-RESISTANT QUALITY WITH LINING

Model No. ARC-LR17055-CSA

FEATURES:

Hidden zipper under storm flap with velcro / Drawstring at waist / Detachable hood with drawstring / Adjustable and elasticated sleeves with velcro / Radio loops / Four outer pockets with velcro / Two chest pockets with zipper / Breathable, wind and waterproof with taped seams / Waterproof: 13.000 MM / Breathability: 10.000 Mvp

FIRE RETARDANT OUTER MATERIAL: 99% Polyester 1% Carbon

FIRE RETARDANT OUTER MATERIAL: 85% CV 15% Para-aramid

OUTER FABRIC WEIGHT: 270 g/m²

LINING FABRIC WEIGHT: 165 g/m²

SIZES: S-4XL

COLOUR: HiVis Orange - 05
Saturn Yellow - 53

STANDARDS:

- CSA Z96-15 Class 2 Level 2 Compliant (When worn alone)
- Fire Retardant
- High Visibility
- Arc Rated

ATPV 42,4 cal/cm²

Adjustable cuffs

Adjustable hem

LOXY® Loxy reflexes

Breathable

Windproof

Waterproof

EN 343 3 3

EN ISO 20471 3

EN 1149-5

EN ISO 11612 A1 B1 C1 D3 E3 F1

EN 13034 Type PB [6]

EN ISO 11611 Class 1 A1

IEC 61482-2 Class 2 42.4 Cal/cm²

RIS-3279-TOM (GO/RT 3279) Only cat. 05

LYNGSØE RAINWEAR

CSA COMPLIANT
FIRE RETARDANT

ATPV 42,4 cal/cm²

Kneepad pockets

LOXY® Loxy reflexes

Breathable

Windproof

Waterproof

LYNGSØE FLAME RETARDANT HIVIS RAIN TROUSERS IN HEAVY TEAR-RESISTANT QUALITY WITH LINING

Model No. ARC-LR17052

FEATURES:
Detachable, elasticated shoulder straps with buckles / Belt loops / Elasticated waist / Two front pockets with velcro / Ruler pocket on right thigh / Tool pocket on left thigh / Kneepad pockets / Breathable, wind and waterproof with taped seams / Waterproof: 13.000 MM / Breathability: 10.000 Mvp

FIRE RETARDANT OUTER MATERIAL: 99% Polyester 1% Carbon
FIRE RETARDANT LINING MATERIAL: 85% CV 15% Para-aramid
OUTER FABRIC WEIGHT: 270 g/m²
LINING FABRIC WEIGHT: 165 g/m²
SIZES: S - 4XL
COLOUR: HiVis Orange - 05
Saturn Yellow - 53

STANDARDS:
- CSA Z96-15 Class 3 Level 2 Compliant (When worn with matching jacket)
- Fire Retardant
- High Visibility
- Arc Rated

EN 343 3 3 | EN ISO 20471 2 | EN 1149-5 | EN ISO 11612 A1 B1 C1 E1 F1 | EN 13034 Type PB [6] | IEC 61482-2 Class 2 | RIS-3279-TOM (GO/RT 3279) Only col. 05

LYNGSØE RAINWEAR

CSA COMPLIANT
FIRE RETARDANT

WENAAS® THERMAL FR PARKA

Model No. 0-96955-187

FEATURES:
Seamless sleeve, taped seams / Waterproof, windproof, stowable and adjustable hood in collar / FR Reflective tape in CSA Pattern / Concealed two-way zipper with storm flap / Cell phone pocket on chest, Two front pockets with flap / Interior pocket and interior map pocket, cell phone pocket and pen pocket / Rib in sleeve ends.

FR OUTER FABRIC: 60% Polyester 40% Polyurethane
OUTER FABRIC WEIGHT: 200 g/m^2 (7.05 oz.)
INSULATION: 100% FR Polyester
LINING: 100% FR Cotton
SIZES: S - 4XL

COLOURS:

Fluorescent Orange – 28

STANDARDS:
- CSA Z96-15 Class 2 Level 2 Compliant when worn alone.
- EN 343 Rain, Certified protective clothing.
- EN 471 High Visibility Warning Clothing, Certified protection clothing.
- EN ISO 14116 Flame, limited spread. Certified protective clothing.

CLASSIFICATION INFO:
- EN ISO 14116: 2015 index 1/5h/40, EN 471:2003+A1:2007 kl.3.
- EN 343: 2003+A1:2007 k1.3.1

FIRE RETARDANT

LYNGSØE FLAME RETARDANT INNER JACKET

CAN BE ZIPPED INTO FR-LR11355 + ARC-LR17095

Model No. FR-LR11300
FEATURES:
Can be zipped into FR-LR11355 and ARC-LR17095 / Elasticated cuffs / One inside chest pocket with zipper

MATERIAL: 100% Quilted Cotton with Polyester Padding
OUTER FABRIC WEIGHT: 220 g/m^2
SIZES: XS-3XL
COLOUR: Black - 07

STANDARDS:
- Fire Retardant

EN ISO 14116 INDEX 3

LYNGSØE RAINWEAR

THERMAL

WENAAS® GLACIER QUILTED THERMAL JACKET

Model No. 0-56320-604

FEATURES:
Windproof, waterproof and breathable / Comfort Rated to -60°C (-76°F) / Illumination strip on sleeves / ID pocket / Front zip flap / Chest pockets with velcro on flaps / Storm pocket with zipper / Inside pockets / Inside mobile phone pocket / Fleece in collar and cuffs / Fleece inside front pockets / Adjustable cuffs / Elastic drawstring in hemline / Zipper in hemline / Lengthened back / Quilted lining / Taped seams

MATERIAL: 100% Polyester Oxford
OUTER FABRIC WEIGHT: 200 g/m^2 (7.05 oz.)
PADDING: 100% Poly Propylene, 300 g/m^2 (10.58 oz.)
LINING: 100% Polyester, 60 g/m^2 (2.12 oz.)
SIZES: XS - 4XL

COLOUR:
Black - 10

STANDARDS:
- Comfort Rated to -60°C (-76°F)

THERMAL

WENAAS® GLACIER QUILTED THERMAL BIB 'N' BRACE

Model No. 0-66320-604

FEATURES:
Windproof, waterproof and breathable / Comfort Rated to -60°C (-76°F) / Illumination strip on each leg / Snow cuffs in each leg / Zip fly / Pocket on Bib / Pockets with through access / Double folding ruler pocket / Knife holder / Large thigh pocket / Rounded knee / Knee pockets in Duratex / Adjustment on sides / Zipper on each leg / Velcro ankles / Quilted lining / Taped seams

MATERIAL: 100% Polyester Oxford
OUTER FABRIC WEIGHT: 200 g/m^2 (7.05 oz.)
PADDING: 100% Poly Propylene, 300 g/m^2 (10.58 oz.)
LINING: 100% Polyester, 60 g/m^2 (2.12 oz.)
SIZES: XS - 4XL

COLOUR:
Black - 10

STANDARDS:
- Comfort Rated to -60°C (-76°F)

RAIN WEAR

LYNGSØE RAINSET WITH JACKET AND TROUSERS IN POLYESTER QUALITY



Model No. LR104054

FEATURES:

JACKET:
Hood with drawstring, hidden in collar / Two outer pockets / Drawstring at the waist / Waterproof: 8.000MM

TROUSERS:
Elasticated waist / Two pockets / Press stud adjustments by the ankles / Waterproof: 8.000MM / Comes in a compact storage bag

FABRIC: 50% Polyester 50% PVC

FABRIC WEIGHT: 190 g/m^2

SIZES: Red: XS - 5XL
Navy: XS - 5XL
HiVis Orange: XS - XXL
Black: XXS - 5XL
Green: XS - 5XL
Yellow: XS - 5XL

COLOURS: Red - 02
Navy - 03
HiVis Orange - 05
Black - 07
Green - 08
Yellow - 56

STANDARDS:
- Waterproof

LYNGSØE RAINWEAR

RAIN WEAR





LYNGSØE RECYCLED JACKET IN PU QUALITY

Model No. RC1357

FEATURES:

Made from 12 recycled 1.5L PET bottles / Detachable hood with press studs / Drawstring in hood / Hidden zipper under storm flap with press studs / Sleeves with velcro adjustments / Two front pockets / Ventilation at back / Grey reflective detail at back / Waterproof: 11.000 MM

MATERIAL: 65& Polyester, 35% Polyurethane

OUTER FABRIC WEIGHT: 180 g/m^2

SIZES: XXS - 4XL

COLOUR: Black - 07

STANDARDS:

- Waterproof

LYNGSØE RAINWEAR

RAIN WEAR

LYNGSØE RECYCLED TROUSERS IN PU QUALITY

Model No. RC1351

FEATURES:
Elasticated waist / Two pockets / Zipper and press stud fastening at the ankles / Grey reflective detail at back / Waterproof: 11.000 MM

MATERIAL: 65% Polyester, 35% Polyurethane
OUTER FABRIC WEIGHT: 180 g/m^2
SIZES: XXS - 4XL
COLOUR: Black - 07

STANDARDS:

- Waterproof



EN 343

LYNGSØE RAINWEAR

ACCESSORIES

WENAAS® INDUSTRIAL KNEE PADS

Model No. 0-26005-0-98

FEATURES:
Upgraded material that protects the knee better and has longer durability / Equipped with text informing you that the kneepad shall be placed with cushion against the knee (this side towards knee). The knee pads will not protect the knee if they are placed wrong.

MATERIAL: Etylenvinylacetat (EVA)
WEIGHT: 51 grams/pair
HEIGHT: 198 cm
WIDTH: 150 cm
THICKNESS: 19 mm
SIZE: Universal

COLOUR:
Grey - Model #0-26005-0

SIZING CHART

Measuring Guide

1. Find the correct measuring chart below, see model numbers for reference.
2. Measure your chest (see figure) and find your size in the appropriate chart.
3. Measure your waist at the widest point (see figure) and check if you might need to go up a size.
4. If the model is available in Regular and Tall: Measure your body height and inner leg length (see figure) to determine which length you want.

TYPE	BODY HEIGHT	LEG LENGTH
Short	5'5" – 5'7"	30"
Regular	5'8" – 5'11"	32"
Tall	6'0" – 6'3"	34"



BIB OVERALLS / BIB "N" BRACE

Wenaas brand – Sizing Chart

	XS	S	M	L	XL	2XL	3XL	4XL
Chest – cm	84	92	100	108	116	124	132	140
Chest – Inches	33.07	36.22	39.37	42.52	45.67	48.82	51.97	55.11
Waist – cm	72	80	88	97	108	120	132	144
Waist – inches	28.35	31.50	34.64	38.19	42.52	47.24	51.97	56.69
Hips – cm	91	98	106	114	122	130	138	146
Hips – inches	35.82	38.58	41.73	44.88	48.03	51.18	54.33	57.48
Inside Leg -cm	80	80	82	82	84	84	84	84
Inside Leg – inches	31.50	31.50	32.28	32.28	33.00	33.00	33.00	33.00

COVERALLS

Wenaas brand – Sizing Chart

	XS	S	M	L	XL	2XL	3XL	4XL
Chest – cm	84	92	100	108	116	124	132	140
Chest – Inches	33.07	36.22	39.37	42.52	45.67	48.82	51.97	55.11
Waist – cm	72	80	88	97	108	120	132	144
Waist – inches	28.35	31.50	34.64	38.19	42.52	47.24	51.97	56.69
Hips – cm	91	98	106	114	122	130	138	146
Hips – inches	35.82	38.58	41.73	44.88	48.03	51.18	54.33	57.48
Inside Leg -cm	80	80	82	82	84	84	84	84
Inside Leg – inches	31.50	31.50	32.28	32.28	33.00	33.00	33.00	33.00

JACKETS

Wenaas brand – Sizing Chart

	XS	S	M	L	XL	2XL	3XL	4XL
Chest – cm	84	92	100	108	116	124	132	140
Chest – Inches	33.07	36.22	39.37	42.52	45.67	48.82	51.97	55.11
Waist – cm	72	80	88	97	108	120	132	144
Waist – inches	28.35	31.50	34.64	38.19	42.52	47.24	51.97	56.69
Hips – cm	91	98	106	114	122	130	138	146
Hips – inches	35.82	38.58	41.73	44.88	48.03	51.18	54.33	57.48

TROUSER

Wenaas brand – Sizing Chart

Waist – inches	28	30	32	34	36	38	40	42	44	48	50
Inside Leg – Inches	32	32	32	32	32	32	33	33	33	33	33

GENERAL SIZING CHART

Lyngose Rainwear – Sizing Chart

Lyngsoe Size	Length(cm)	Length(in)	Chest(cm)	Chest(in)	Waist(cm)	Waist(in)
XS	166-168	65-66	84-88	33-35	72-76	28-30
S	170-172	67-68	92-96	36-38	80-84	31-33
M	174-176	69-70	100-104	39-41	88-92	34-36
L	178-180	70-71	108-112	42-44	96-100	37-40
XL	182-184	71-72	116-120	45-47	104-108	41-43
2XL	186-188	73-74	124-128	48-50	112-116	44-46
3XL	190-192	75-76	132-136	51-54	120-124	47-49
4XL	194-196	76-77	140-144	55-57	128-132	50-52
5XL	198-200	78-79	148-152	58-60	136-140	53-55

SIZING FOR CSA COMPLIANT JACKET

Model Numbers 3-56300-604-8710 & 3-56300-604-3210

	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Height – cm	168-172	172-176	176-180	180-184	184-188	188-190	192	194	196	198
Chest – cm	84	92	100	108	117	127	137	147	157	167
Chest – inches	33.07	36.22	39.37	42.52	46.06	50	53.94	57.87	61.81	65.74
Waist – cm	74	82	90	99	109	119	129	139	149	159
Waist – inches	29.13	32.28	35.43	38.97	42.91	46.85	50.78	54.72	58.66	62.6
Hips – cm	90	98	106	115	125	135	145	155	165	175
Hips – inches	35.43	38.58	41.73	45.27	49.21	53.15	57.08	61.02	64.96	68.9

SIZING FOR CSA COMPLIANT COVERALL

Model Number 3-66301-604-8710 & 3-66301-604-3210

	XS	S	M	L	XL	2XL	3XL	4XL
Height – cm	168-172	172-176	176-180	180-184	184-188	188-190	192	194
Chest – cm	84	92	100	108	117	127	137	147
Chest – inches	33.07	36.22	39.37	42.52	46.06	50	53.94	57.87
Waist – cm	74	82	90	99	109	121	133	145
Waist – inches	29.13	32.28	35.43	38.97	42.91	47.63	52.36	57.08
Hips – cm	90	98	106	115	125	135	145	155
Hips – inches	35.43	38.58	41.73	45.27	49.21	53.14	57.08	61.02
Inner Leg Length – cm	75	77	80	82	80	80	80	80
Inner Leg Length – inches	29.52	30.31	31.50	32.28	31.50	31.50	31.50	31.50

SIZING FOR CSA COMPLIANT BIB OVERALL

Model Number 3-86301-604-8710 & 3-86301-604-3210

	XS	S	M	L	XL	2XL	3XL	4XL
Waist – cm	70	78	86	95	105	117	129	141
Waist – – Inches	27.55	30.7	33.86	37.4	41.33	46.06	50.78	55.51
Hips – cm	84	92	100	109	119	128	139	148
Hips – Inches	33.07	36.22	39.37	42.91	46.85	50.39	54.72	58.26
Inside Leg Length – cm	78	80	83	85	83	83	83	83
Inside Leg Length – inches	30.7	31.49	32.67	33.46	32.67	32.67	32.67	32.67

wenaas®

302 BLUEWATER ROAD, UNIT 3 | BEDFORD, NOVA SCOTIA | B4B 1J6
TOLL FREE: 1-888-767-2085 | LOCAL: 1-902-405-8559 | FAX: 1-902-431-8307
E-MAIL: INFO@NORTHERNWORKWEARLTD.CA | WWW.NORTHERNWORKWEARLTD.CA